Comparative metabolism by follicular and stromal compartments of
human ovaries, 761
Corticoid 17,21 diesters, 543
Corticosteroids, complexes with Co(II), 349, 361
Corticosteroids, participation of the 17β side chain in
complexes with Co(II), 349, 361
Corticosterone, changes at puberty, 185
Cortisol, uptake by leukocytes, 23
3-Cyclopentyloxy-17α-ethynylestra-1,3,5(10)-trien-
17β-ol, *in vitro* competition, 159

Dehydration of 4ξ,5ξ-dihydroxy-3,6-diketosteroids, 417
22-Deoxyecdysone and 22-deoxyinokosterone, metabolites of
of 4-^{14}C-22,25-bisdeoxyecdysone from tobacco hornworm, 105
Depot corticoids, 543
3,15α-Diacetoxyandrosta-3,5-dien-17-one, 129
3β,15α-Diacetoxyandrost-5-en-17-one, 129
3,15α-Diacetoxypregna-3,5-dien-20-one, and cyclic ethylene ketal, 129
3β,15α-Diacetoxypregn-5-en-20-one, 129
6,6-Difluoro-13β-ethyl-17α-ethynylgon-4-en-17β-ol-3-one,
aliphatic esters of, 263
6,6-Difluoro-17α-ethynylestr-4-en-17β-ol-3-one,
aliphatic esters of, 263
3α,7α-Dihydroxy-5α-cholestan-26-oic acid, 279
7,12-Dimethylbenz(a)anthracene, binding in calf cytosol, 499

Ecdysones from frass of the tobacco hornworm, 621
Ecdysterone, estimation of from sulfuric acid-induced
fluorescence, 95
Estra-1,3,5(10)-trien-3,17α-diol, estimation of in plasma, 651
Estra-1,3,5(10)-trien-3,17β-diol 3-benzoate 17β-cyclododec-
1′-enyl ether, 627
Estra-1,3,5(10)-trien-3,17β-diol 3-benzoate 17β-cyclooct-1′-enyl ether,
prolonged oral estrogenic activity of, 627
storage in body fat of rats, 627
Estra-1,3,5(10)-trien-3,17β-diol 3-benzoate 17β-cyclopentadec-
1′-enyl ether, 627
Estra-1,3,5(10)-trien-3,17β-diol,
comparison of antisera for in human plasma, 737
competition with DMBA in calf cytosol, 499
concentration of in spermatic venous blood, 439
determination of in urine, 383
estimation of in plasma, 651
in covalently bound solid-phase radioimmunoassay, 199
induced metabolism of, 89

Estra-1,3,5(10)-trien-3,17β-diol,
inhibition of oxidation by uterus cytosol, 295
secretion of by human testis, 439
uterine metabolism of, 89
Estra-1,3,5(10)-trien-3-ol-17-one,
concentration of in spermatic venous blood, 439
determination of in urine, 383
estimation of in plasma, 651
in covalently bound solid-phase radioimmunoassay, 199
secretion of by human testis, 439
Estra-1,3,5(10)-trien-3,16α,17β-triol,
determination of in urine, 383
post-coital activity of, 223
Estrogen conjugation by microsomes, 321
Estrogen-induced changes in the maltase activity of rat uterus, 173
24-E-and Z-Ethylidenesterols, 487
17α-Ethynylestra-1,3,5(10)-trien-3,17β-diol in covalently bound
solid-phase radioimmunoassay, 199

Fluorescence, estimation of ecdysterone by, 95
9α-Fluoro-16β-methylpregna-1,4-dien-11β,17α,21-triol-
3,20-dione 17α,21-dipropionate, 543
Fluorosteroid repository injectable progestational agents, 263
Follicle Stimulating Hormone, 13

Gas chromatography-mass spectrometry of sterol acetates, 487
Glucocorticoids and other steroids, inhibition of cortisol
uptake by, 23
Graafian follicle, 247

2β,3β,14α,20R,22R,25-Hexahydroxy-5β-cholest-7-en-6-one, 95, 105, 621
Hormones, steroid, antigenic complexes of with BSA, 789
3β-Hydroxysteroid dehydrogenase-isomerase, 669
3β-Hydroxysteroid dehydrogenase-isomerase reactions, 1

Immature rats, facilitation of ovulation in, by pregnant
mare serum, 237

Δ^4-3-Ketosteroid-5α-reductase, stereospecifity of, 215
Δ^4-3-Ketosteroid-5β-reductase, stereospecifity of, 215
Δ^5-3-Ketosteroids, acid-catalyzed isomerization of, 449

Lanost-8-en-3β-ol, oxidation of, 435
Lanost-8-en-3-one, preparation of, 435
Leukocyte, cortisol uptake by, 23
Luteinizing Hormone, 13

Maltase activity of rat uterus, estrogen-induced changes in, 173
Mechanism of action of an antiandrogen in the rat
prostate gland, 331
Metabolites of 4-^{14}C-22,25-bisdeoxyecdysone from
tobacco hornworm, 105
Metal complexes of steroidal ligands, 417
Methyl 21-acetoxypregn-4-en-11β-ol-3,20-dione,18-yl-2,3,4-
tri-O-acetyl-β-D-glucopyranosyluronate, 515
24ξ-Methylcholest-5-en-3β,25-diol, 121
3-(7α-Methylsulfinylandrost-4-en-6β,17β-diol-3-one-17α-yl)-
propionic acid-γ-lactone, 41
3-(7α-Methylsulfinylandrost-4-en-17β-ol-3-one-17α-yl)-
propionic acid-γ-lactone, 41
3-(7α-Methylthioandrost-4-en-17β-ol-3-one-17α-yl)-
propionic acid-γ-lactone, 41
Micelle formation and disaggregation, 449
Microsomal incubation with ^{3}H-estradiol, 321
Molecular interactions of hormonal steroids, 349, 361
Molting hormones from insect frass, 621

Ovary, rabbit, *in vitro* steroid synthesis by follicles
isolated from, 247
Ovulation, facilitation by steroids in immature rats
primed with pregnant mare serum, 237

2β,3β,14α,20ξ,25-Pentahydroxy-5β-cholest-7-en-6-one, 105
2β,3β,14α,20ξ,26-Pentahydroxy-5β-cholest-7-en-6-one, 105
2β,3β,14α,22R,25-Pentahydroxy-5β-cholest-7-en-6-one, 105, 621
2β,3β,14α,25,26-Pentahydroxy-5β-cholest-7-en-6-one, 105
Placental preparations, 469
Plasma, pregnant rat, 597
Plasma, prepubertal rat, 597
Post-coital contraception, 223
Pregnancy maintenance in ovariectomized rats by long-acting
progestin and estrogen, 307
Pregnant Mare Serum, 237
Pregn-4-en-11β,21-diol-3,20-dione, 681
Pregn-4-en-11β,21-diol-3,20-dione-18-yl-β-D-glucopyranuronic acid, 515
Pregn-4-en-17α-21-diol-3,20-dione,
determination for metyrapyrone test, 609
determination in plasma, 609
radioimmunoassay of, 609
Pregn-5-en-3β,15α-diol-20-one cyclic ethylene ketal, 129
Pregn-5-en-3β,15α-diol-20-one-4-^{14}C, 129

Pregn-4-en-3,20-dione, 697
stereochemistry of products from reaction with OsO_4, 531
Pregn-4-en-17α-ol-3,20-dione,
determination of in peripheral venous plasma, 773
Pregn-5-en-3β,11β,17α,21-tetrol-20-one, 669
Pregn-5-en-3β,15α,20β-triol, 129
Pregn-5-en-3β,17α,21-triol-20-one, 1
Protein binding, inhibition of estrogen metabolism, 295
Protein binding of steroid hormones to BSA, 789
Puberty, changes in serum corticosterone, 185

Radioimmunoassay
for androst-5-en-17-one-3β-yl sulfate, 813
for estradiol-17β in human plasma, 737
for 17-hydroxyprogesterone, 773
for plasma corticosterone, 681
for plasma testosterone, 789
for pregn-4-en-3,20-dione, 697
Receptors, estrogen, 499

LH-Sephadex, aldosterone prepurification by chromatography on, 727
Spironolactone metabolism, new metabolites from human urine,
isolation and structural elucidation, 41
Stereochemistry of products from reaction of
pregn-4-en-3,20-dione and OsO_4, 531
Steroidogenesis, *in vitro*, 247
Steroid receptor proteins in the rat prostate gland, 331
Steroids, facilitation of ovulation by, in immature rats
primed with pregnant mare serum, 237
Sterol acetates, distinction between side chain stereoisomers of
by GC-MS, 487

2β,3β,14α,25-Tetrahydroxy-5β-cholest-7-en-6-one, 105
3α,7α,12α-Trihydroxy-5α-cholestan-26-oic acid, 279
2β,3β,14α-Trihydroxy-5β-cholest-7-en-6-one, 105
2β,3β,14α-Trihydroxy-5β-cholest-7-en-6-one-4-^{14}C,
metabolism of, from tobacco hornworm, 105

Unconjugated metabolites and steroid moieties of conjugates
from tobacco hornworms fed 4-^{14}C-22,25-bisdeoxyecdysone, 105
Uterine cytosol, inhibition of oxidation of estradiol-17β by, 295
Uterine estrogen uptake, *in vitro*, 159

Vitamin D_3, characterization of metabolites in the chick, 639